

## AMENDMENTS TO THE CLAIMS

The claims in this listing will replace all prior versions, and listings, of claims in the application.

### Listing of Claims:

1. (Currently Amended) Radically coupled PTFE polytetrafluoroethylene polymer ~~compounds~~ compound comprising at least one of radiation-chemically ~~and/or~~ and plasma-chemically modified PTFE ~~powders~~ polytetrafluoroethylene powder including a surface, on the particle surfaces of which and at least one olefinically unsaturated ~~polymers are~~ polymer chemically radically coupled on the surface via a reactive conversion into melt.
2. (Currently Amended) Radically ~~The radically~~ coupled PTFE polytetrafluoroethylene polymer ~~compounds~~ compound according to claim 1, ~~in which the~~ wherein bonding site of the at least one olefinically unsaturated ~~polymers~~ polymer with the PTFE ~~partiele~~ surface is randomly distributed on the polymer chain.
3. (Currently Amended) Radically ~~The radically~~ coupled PTFE polytetrafluoroethylene polymer ~~compounds~~ compound according to claim 1, ~~in which~~ wherein the PTFE polytetrafluoroethylene powder is radiation-chemically modified.
4. (Currently Amended) Radically ~~The radically~~ coupled PTFE polytetrafluoroethylene polymer ~~compounds~~ compound according to claim 3, ~~in which~~ wherein the PTFE polytetrafluoroethylene powder is radiation-chemically modified with a radiation dose greater than 50 kGy.

5. (Currently Amended) ~~Radically~~ The radically coupled PTFE polytetrafluoroethylene polymer ~~compounds~~ compound according to claim 4, ~~in which~~ wherein the PTFE polytetrafluoroethylene powder is radiation-chemically modified with a radiation dose greater than 100 kGy.

6. (Currently Amended) The radically coupled PTFE polytetrafluoroethylene polymer ~~compounds~~ compound according to claim 1, ~~in which~~ wherein the PTFE polytetrafluoroethylene powder is radiation-chemically modified in ~~the~~ presence of reactants.

7. (Currently Amended) ~~Radically~~ The radically coupled PTFE polytetrafluoroethylene polymer ~~compounds~~ compound according to claim 6, ~~in which~~ wherein the PTFE polytetrafluoroethylene powder is radiation-chemically modified under ~~the~~ influence of oxygen.

8. (Currently Amended) ~~Radically~~ The radically coupled PTFE polytetrafluoroethylene polymer ~~compounds~~ compound according to claim 1, ~~in which~~ wherein the ~~polymers have at~~ least one olefinically unsaturated polymer includes olefinically unsaturated groups in ~~the~~ at least one of main chain ~~and/or in the~~ and side chain of the at least one olefinically unsaturated polymer.

9. (Currently Amended) ~~Radically~~ The radically coupled PTFE polytetrafluoroethylene polymer ~~compounds~~ compound according to claim 1, ~~in which~~ wherein SBS, ABS, SBR, NBR, NR and other butadiene and/or isoprene-homo-, -co- or -ter-polymers are radically coupled as olefinically unsaturated polymers.

10. (Currently Amended) Method for producing a radically coupled PTFE polytetrafluoroethylene polymer ~~compounds~~ compound according to ~~one of claims 1 through 9,~~ in which PTFE comprising at least one of radiation-chemically and plasma-chemically modified polytetrafluoroethylene powder including a surface, and at least one olefinically unsaturated

P29883.A03

polymer chemically radically coupled on the surface via a reactive conversion into melt,  
comprising reactively converting in a melt ~~powders are reactively converted~~  
polytetrafluoroethylene powder and at least one olefinically unsaturated polymer, the  
polytetrafluoroethylene powder including ~~with~~ reactive perfluoroalkyl-(peroxy) radical centers  
after ~~[[a]]~~ at least one of radiation-chemical ~~and/or~~ and plasma-chemical modification ~~into a melt~~  
~~with the addition of olefinically unsaturated polymers.~~

11. (Currently Amended) ~~Method~~ The method according to claim 10, ~~in which~~ wherein  
the polytetrafluoroethylene powder comprises radiation-chemically modified PTFE  
polytetrafluoroethylene powder is used.

12. (Currently Amended) ~~Method~~ The method according to claim 10, ~~in which~~ wherein  
the PTFE polytetrafluoroethylene powder is radiation-chemically modified with a radiation dose  
greater than 50 kGy.

13. (Currently Amended) ~~Method~~ The method according to claim 12, ~~in which~~ wherein  
the PTFE polytetrafluoroethylene powder is radiation-chemically modified with a radiation dose  
greater than 100 kGy.

14. (Currently Amended) ~~Method~~ The method according to claim 10, ~~in which~~ wherein  
the PTFE polytetrafluoroethylene powder is radiation-chemically modified ~~in the~~ presence of  
reactants.

15. (Currently Amended) ~~Method~~ The method according to claim 14, ~~in which~~ wherein  
the PTFE polytetrafluoroethylene powder is radiation-chemically modified ~~under the~~ influence  
of oxygen.

16. (Currently Amended) ~~Method~~ The method according to claim 10, ~~in which~~ wherein  
the PTFE polytetrafluoroethylene powder is ~~used as~~ a micropowder.

17. (Currently Amended) ~~Method~~ The method according to claim 10, ~~in which~~ wherein the reaction into a melt is ~~realized~~ performed in a melt mixer.

18. (Currently Amended) ~~Method~~ The method according to claim 17, ~~in which~~ wherein the reaction into a melt is ~~realized~~ performed in an extruder.

19. (Currently Amended) ~~Method~~ The method according to claim 10, ~~in which~~ wherein ~~polymers with olefinically unsaturated groups in the main chain and/or in the side chain are used~~ the at least one olefinically unsaturated polymer includes olefinically unsaturated groups in at least one of main chain and side chain of the at least one olefinically unsaturated polymer.

20. (Currently Amended) ~~Method~~ The method according to claim 10 ~~in which~~ as the at least one olefinically unsaturated polymer ~~polymers~~, is SBS, ABS, SBR, NBR, NR and other butadiene- and/or isoprene-homo-, -co- or -ter-polymers ~~are used~~.